

L Number	Hits	Search Text	DB	Time stamp
-	2	(stub and skeleton) same log\$4 same instrument\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:29
-	17	(stub skeleton) same log\$4 same instrument\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:28
-	115529	(stub skeleton)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:29
-	546	((stub skeleton)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:29
-	32	(stub and skeleton) same log\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:29
-	1164	(stub skeleton) same log\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:30
-	62	((stub skeleton) same log\$4) and (((stub skeleton)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:29
-	1164	stub same log\$4) (skeleton same log\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:30
-	1164	stub same log\$4) (skeleton same log\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:31
-	1164	(stub same log\$4) or (skeleton same log\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:31
-	62	((stub same log\$4) or (skeleton same log\$4)) and (((stub skeleton)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:31
-	622	(stub near30 log\$4) or (skeleton near30 log\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:32
-	22	((stub near30 log\$4) or (skeleton near30 log\$4)) and (((stub skeleton)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:32
-	2240	(stub near30 (log\$4 trac\$3)) or (skeleton near30 (log\$4 trac\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:33

-	34	((stub near30 (log\$4 trac\$3)) or (skeleton near30 (log\$4 trac\$3))) and (((stub skeleton)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:01
-	0	98123890.0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:01
-	0	"98123890"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:01
-	10	"924615"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 14:33
-	49	("6002872" "6158024" "6336118" "6637020" "5339435" "6122675" "5964839" "6467052" "6083281" "5612898" "5611044" "5799143" "6047390" "5594892" "5740408" "6006032" "6081900" "6519568" "6189142" "5450586" "6279030" "6236999" "6385643" "6425017" "6571274" "6581088" "5682328" "5781778" "5794046" "6028999" "6266666" "6219619" "6219619" "6442488" "5565316" "5827070" "6363391" "6389379" "5253359" "4949278" "5530848" "5721912" "5778060" "6353446" "6671829" "6671830" "6691254" "6708293" "4758956" "4398272").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/21 15:13
-	668	instrument\$5 and stub and log\$3	USPAT	2004/05/21 15:13

-	42	instrument\$5 and (stub and skeleton) and log\$3	USPAT	2004/05/21 15:15
-	41	instrument\$5 and (stub and skeleton) and (log logging)	USPAT	2004/05/21 15:17
-	45	instrument\$5 and (stub and skeleton) and (log logging trace filter)	USPAT	2004/05/21 15:17
-	4	(instrument\$5 and (stub and skeleton) and (log logging trace filter)) not (instrument\$5 and (stub and skeleton) and (log logging))	USPAT	2004/05/21 15:17
-	1391	regular adj expression	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 14:36
-	82	(regular adj expression) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 14:36
-	2251	enable near4 (log or logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 07:58
-	37	(enable near4 (log or logging)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 07:34
-	3	stub near4 enable near4 (log or logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:01
-	5273	instrument\$5 near4 parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:02
-	27	((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.) and (instrument\$5 near4 parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:02
-	0	(instrument\$5 near4 (additional or extra or added) near4 parameter) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:03
-	0	instrument\$5 near4 (additional or extra or added) near4 parameter and 717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:03
-	54	instrument\$5 near4 (additional or extra or added) near4 parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:04
-	54	instrument\$5 near4 (additional or extra or added) near4 (parameter or argument)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:08
-	4	(("6186677") or ("5987249")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 09:03

-	15130	additional near4 parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 09:03
-	175	((additional near4 parameter) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 09:03
-	19	additional near4 parameter same stub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:38
-	547	cpu near4 (log or logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:38
-	2689	(cpu processor) near4 (log logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:38
-	6329	((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:39
-	32640	((cpu processor) near4 (log logging)) an (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:39
-	46	((cpu processor) near4 (log logging)) and (((717/124,126-128,130-133,136,140,151,154-158) or (719/313,315,317,319,328,330) or (709/201,202)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 11:39

PLUS Search Results for S/N 09955764, Searched April 05, 2004

09955764_LIST.txt

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6389379
5253359
4949278
5530848
5721912
5778060
6353446
6671829
6671830
6691254
6708293
4758956
4398272

6002872
6158024
6336118
6637020
5339435
6122675
5964839
6467052
6083281
5612898
5611044
5799143
6047390
5594892
5740408
6006032
6081900
6519568
6189142
5450586
6279030
6236999
6385643
6425017
6571274
6581088
5682328
5781778
5794046
6028999
6266666
6219619
6219619
6442488
5565316
5827070
6363391



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used [stub](#) or [skeleton](#) [log](#) or [logging](#)

Found 307 of 807,214

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The Digital Library](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐
1 [Middleware performance analysis: Performance monitoring of java applications](#)

M. Harkema, D. Quartel, B. M. M. Gijsen, R. D. van der Mei

 July 2002 **Proceedings of the third international workshop on Software and performance**
Full text available: [pdf\(219.69 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Over the past few years, Java has evolved into a mature platform for developing enterprise applications. A critical factor for the commercial success of these applications is end-to-end performance, e.g., in terms of response times, throughput and availability. This raises the need for the development, validation and analysis of performance models to predict performance metrics of interest. To develop and validate performance models, insight in the execution behavior of the application is essent ...

Keywords: performance measurement and monitoring of java applications

2 [First International Workshop on Persistence and Java](#)

Malcolm Atkinson, Mick Jordan

November 1996 Technical Report, Sun Microsystems, Inc.

Full text available: [pdf\(1.54 MB\)](#)
 Additional Information: [full citation](#), [abstract](#)

These proceedings record the First International Workshop on Persistence and Java, which was held in Drymen, Scotland in September 1996. The focus of this workshop was the relationship between the Java languages and long-term data storage, such as databases and orthogonal persistence. There are many approaches being taken, some pragmatic and some guided by design principles. If future application programmers building large and long-lived systems are to be well-supported, it is essential that the ...

3 [DECALS: distributed experiment control and logging system](#)

Alex Hubbard, C. Murray Woodside, Cheryl Schramm

 November 1995 **Proceedings of the 1995 conference of the Centre for Advanced Studies on Collaborative research**
Full text available: [pdf\(287.39 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In developing distributed applications and services there is a need to be able to set up and run tests on a set of processes. The experiment might be to obtain performance data, to test the processes' behaviour, or to evaluate an application management strategy. Common requirements are • to load and run special versions of at least some of the software, often on multiple nodes of a network, • to initialize the software in a well-controlled way, so the tests may be repeatable, • ...


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

+(stub or skeleton) +(log or logging) +(instrument or instrument)

SEARCH

THE GUIDE TO COMPUTING LITERATURE

 Feedback [Report a problem](#) [Satisfaction survey](#)

Terms used

stub or skeleton log or logging instrument or instrumentation

Found 66 of 807,214

 Sort results
by

relevance

Save results to a Binder

 Try an [Advanced Search](#)
Try this search in [The Digital Library](#)

 Display
results

expanded form

Search Tips

☐ Open results in a new
window

Results 1 - 20 of 66

Result page: [1](#) [2](#) [3](#) [4](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐
 1 [Middleware performance analysis: Performance monitoring of java applications](#)

M. Harkema, D. Quartel, B. M. M. Gijsen, R. D. van der Mei

 July 2002 **Proceedings of the third international workshop on Software and performance**

Full text available: pdf(219.69 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Over the past few years, Java has evolved into a mature platform for developing enterprise applications. A critical factor for the commercial success of these applications is end-to-end performance, e.g., in terms of response times, throughput and availability. This raises the need for the development, validation and analysis of performance models to predict performance metrics of interest. To develop and validate performance models, insight in the execution behavior of the application is essential ...

Keywords: performance measurement and monitoring of java applications

 2 [DECALS: distributed experiment control and logging system](#)

Alex Hubbard, C. Murray Woodside, Cheryl Schramm

 November 1995 **Proceedings of the 1995 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(287.39 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In developing distributed applications and services there is a need to be able to set up and run tests on a set of processes. The experiment might be to obtain performance data, to test the processes' behaviour, or to evaluate an application management strategy. Common requirements are • to load and run special versions of at least some of the software, often on multiple nodes of a network, • to initialize the software in a well-controlled way, so the tests may be repeatable, • ...

 3 [First International Workshop on Persistence and Java](#)

Malcolm Atkinson, Mick Jordan

November 1996 Technical Report, Sun Microsystems, Inc.

Full text available: pdf(1.54 MB)

 Additional Information: [full citation](#), [abstract](#)

These proceedings record the First International Workshop on Persistence and Java, which was held in Drymen, Scotland in September 1996. The focus of this workshop was the relationship between the Java languages and long-term data storage, such as databases and orthogonal persistence. There are many approaches being taken, some pragmatic and some guided by design principles. If future application programmers building large and long-lived systems are to be well-supported, it is essential that the ...


IEEE Xplore®
RELEASE 1.7

 Welcome
United States Patent and Trademark Office

IEEE Xplore®
1 Million Documents
1 Million Users
...And Growing
» Search Results

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

 Your search matched **4** of **769** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Quasi-optical NbN/AlN/NbN mixers in submillimeter wave band
Uzawa, Y.; Wang, Z.; Kawakami, A.;

Applied Superconductivity, IEEE Transactions on , Volume: 7 , Issue: 2 , June 1997

Pages:2574 - 2577

[\[Abstract\]](#) [\[PDF Full-Text \(480 KB\)\]](#) **IEEE JNL**
2 Evaluation of integrated tuning elements with SIS devices
Dierichs, M.M.T.M.; Noningh, C.E.; Panhuyzen, R.A.; Feenstra, B.J.; Skalare, A.; Wijnbergen, J.J.; van der Stadt, H.; de Graauw, T.;

Microwave Theory and Techniques, IEEE Transactions on , Volume: 41 , Issue: 4 , April 1993

Pages:605 - 608

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) **IEEE JNL**
3 A multiradius, reciprocal implementation of the thin-wire moment method
Tilston, M.A.; Balmain, K.G.;

Antennas and Propagation, IEEE Transactions on , Volume: 38 , Issue: 10 , Oct. 1990

Pages:1636 - 1644

[\[Abstract\]](#) [\[PDF Full-Text \(688 KB\)\]](#) **IEEE JNL**
4 MM wave quasioptical SIS mixers
Hu, Q.; Mears, C.A.; Richards, P.L.; Lloyd, F.L.;

Magnetism, IEEE Transactions on , Volume: 25 , Issue: 2 , Mar 1989

Pages:1380 - 1383

[\[Abstract\]](#) [\[PDF Full-Text \(404 KB\)\]](#) **IEEE JNL**


IEEE Xplore®
RELEASE 1.7

 Welcome
United States Patent and Trademark Office

IEEE Xplore®
1 Million Documents
1 Million Users
...And Growing
» Search Results

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **11** of **769** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Noise measurements of microwave transistors using an uncalibrated mechanical stub tuner and a built-in reverse six-port reflectometer

Di-Luan Le; Ghannouchi, F.M.;

Instrumentation and Measurement, IEEE Transactions on , Volume: 44 , Issue: 4 , Aug. 1995

Pages:847 - 852

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) IEEE JNL

2 Modeling, simulation, and measurement considerations of high-speed digital buses

Novak, I.;

Instrumentation and Measurement, IEEE Transactions on , Volume: 41 , Issue: 6 , Dec. 1992

Pages:921 - 925

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE JNL

3 Modeling, simulation, and measurement considerations of high-speed digital buses

Novak, I.;

Instrumentation and Measurement Technology Conference, 1992. IMTC '92., 9th IEEE , 12-14 May 1992

Pages:147 - 151

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) IEEE JNL

4 The Level-2 muon trigger at D0

Fortner, M.; Maciel, A.; Evans, H.; Kothari, B.; Uzunyan, S.;

Nuclear Science, IEEE Transactions on , Volume: 49 , Issue: 4 , Aug. 2002

Pages:1589 - 1592

[\[Abstract\]](#) [\[PDF Full-Text \(197 KB\)\]](#) IEEE JNL